

DIGITAL WIRELESS MICROPHONE SYSTEM



LICENSE FREE OPERATION, WORLDWIDE

The DMSTetrad is a professional digital 2.4GHz wireless microphone system for worldwide, license-free operation. With 24bit, 48kHz audio coding, it provides uncompressed studio-quality transmission and a linear frequency response, for uncompromising vocal and instrumental performances. 128bit AES standard encryption prevents tapping of the audio signal, which makes it a perfect companion for high-security conferences.

The entire DMSTetrad system features the DSRTetrad digital stationary receiver, the DPTTetrad digital pocket transmitter and the DHTTetrad digital handheld transmitter, available with AKG's patented D5 acoustics or as DHTTetrad P5 with standard dynamic capsule. Three sets are available, the DMSTetrad Vocal Set either including the DHTTetrad D5 or P5 capsule and the DMSTetrad Performer Set including the DPTTetrad together with a C111 L earhook microphone and the MKG L instrument cable.

The DMSTetrad is quickly built up and ready to use. The DSRTetrad receiver can work with up to four channels of audio in parallel which can be mixed down directly to its balanced XLR sum output. The dynamic frequency selection (DFS) guarantees that only the cleanest frequency bands are automatically selected for the connection between receivers and transmitters. To handle rare dropouts, AKG developed a technology called DROCON which is implemented in the system that is able to conceal occurring dropouts and thus prevent the clicks they can cause.



AKG ACOUSTICS GMBH LAXENBURGER STRASSE 254, 1230 VIENNA/AUSTRIA AKG ACOUSTICS, U.S. 8500 BALBOA BOULEVARD, NORTHRIDGE, CA 91329, U.S.A.

© 2014 HARMAN International Industries, Incorporated. All rights reserved. AKG is a trademark of AKG Acoustics GmbH, registered in the United States and/or other countries.

Features, specifications and appearance are subject to change without notice.

CUTSHEET



APPLICATIONS

- » Live Sound / Club Music
- » Conferences / Presentations / Seminars
- » Installations

SYSTEM FEATURES

- » License free wireless system
- » Uncompressed audio transmission
- » Integrated four channel mixer
- » Antenna front mount kit included
- » Superior RF performance
- » AES 128bit encryption

SYSTEM SPECIFICATION

Frequency range Dynamic frequency selection (DFS) in 2,4 GHz ISM band

(2,404 - 2,420 GHz; 2,430 - 2,446 GHz; 2,454 - 2,470 GHz)

Diversity System Digital controlled antenna diversity

RF Output Max. 100 mW (all devices), 10 mW for EU

Modulation Orthogonal Frequency Division Multiplexing – OFDM

Encryption 128 Bit AES

Audio transmission Uncompressed, digital 48 kHz 24 bit

Audio bandwidth $20 - 20\ 000\ Hz\ (\pm\ 3\ dB)$

T.H.D. ≤ 0.05 %

Bandwidth 16 MHz (3x16 MHz)

Overall dynamic range Typ. 120 dB

Dimensions Standard rack size

Max. Channels 4

Interference protection Switchable

RF stability

Other 2,4 GHz devices (e.g. WLAN,
Bluetooth) will induce RF interference



AKG ACOUSTICS GMBH LAXENBURGER STRASSE 254, 1230 VIENNA/AUSTRIA AKG ACOUSTICS, U.S. 8500 BALBOA BOULEVARD, NORTHRIDGE, CA 91329, U.S.A.



DSRTetrad

DIGITAL FOUR CHANNEL RECEIVER



PRODUCT FEATURES

- » Dynamic frequency selection in the 2,4 GHz ISM band
- » 19" metal case
- » Easy setup functions designed for less experienced operators
- » Four channels can be run simultaneously
- » Antenna front mount kit included
- » Off function for all transmitters
- » LEDs to monitor clipping and battery status
- » 4 x balanced channel and 1 x sum output
- » Stand alone 19" rack mount brackets

RECEIVER SPECIFICATION

Diversity System

Digital controlled antenna diversity

RF Output

Max 100 mW 10 mW for FU

RF Output Max. 100 mW, 10 mW for EU Gain Potis 0 – 1.4 Vrms

Audio outputs4 x XLR channel balanced, 1x XLR sum balancedPower supplySMPS 12 V DC, 0,5 A, EU/US/UK adaptersDimensionsStandalone: 315 mm × 42 mm × 147 mm

Rack: 482 mm × 42 mm × 147 mm

Net / Shipping Weight 1180 g

Standard Accessories Power supply, rack and antenna front mount kit

Power supply 12 V DC, 0,5 A

Item numbers:

SKU Code: 3455H00040 (100 mW) 3455H00030 (10 mW – EU)

UPC: 885038038641 885038038276 EAN: 9002761038644 9002761038279



AKG ACOUSTICS GMBH LAXENBURGER STRASSE 254, 1230 VIENNA/AUSTRIA AKG ACOUSTICS, U.S. 8500 BALBOA BOULEVARD, NORTHRIDGE, CA 91329, U.S.A.

© 2014 HARMAN International Industries, Incorporated. All rights reserved. AKG is a trademark of AKG Acoustics GmbH, registered in the United States and/or other countries.

Features, specifications and appearance are subject to change without notice.



DPTTetrad

DIGITAL POCKET TRANSMITTER



SYSTEM FEATURES

- » Belt clip upside/down
- » Easy setup functions designed for less experienced operators
- » Auto power off
- » Low battery warning
- » Adjustable input level (mic-guitar)
- » Integrated screw driver for gain control
- » 5 V phantom power
- » Recommended microphones: C111 L, CK97 C/L, HC577 L and CK77 WR-L

POCKET TRANSMITTER SPECIFICATION

RF Output Max. 100 mW, 10 mW for EU

Gain control 0 (2,2 Vrms) – 30 dB (70 mVrms)

max input-level: < 3 Vrms (gain = min)

Overall dynamic range Typ. 120 dB(A)

Powering 2x AA Alkaline ~6h, 2x AA NiMH ~7h

Dimensions 92 mm × 64 mm × 22 mm

Net / Shipping Weight 70 g

Standard Accessories 2x AA batteries, 1x instrument cable MKG L, 1x ear hook microphone

C111 LP

Item numbers:

SKU Code: 3456H00030 (100 mW) 3456H00020 (10 mW)
UPC: 885038038658 885038038283
EAN: 9002761038651 9002761038286



AKG ACOUSTICS GMBH LAXENBURGER STRASSE 254, 1230 VIENNA/AUSTRIA AKG ACOUSTICS, U.S. 8500 BALBOA BOULEVARD, NORTHRIDGE, CA 91329, U.S.A.

© 2014 HARMAN International Industries, Incorporated. All rights reserved. AKG is a trademark of AKG Acoustics GmbH, registered in the United States and/or other countries.

Features, specifications and appearance are subject to change without notice.



DHTTetrad

DIGITAL HANDHELD TRANSMITTER D5 & P5

SYSTEM FEATURES

- » Supercardioid capsule
- » Gain switch high/low level
- » Auto power off function
- » Low battery warning



HANDHELD TRANSMITTER SPECIFICATION

Microphone capsule Dynamic, supercardioid

RF Output Max. 100 mW, 10 mW for EU

Audio bandwidth DHTTetrad P5: 70 – 16 000 Hz (± 3 dB)

DHTTetrad D5: 70 – 20 000 Hz (± 3 dB)

Gain switch Max SPL: ≤ 142 dB (Gain = LOW)

Max SPL: ≤ 129 dB (Gain = HIGH)

Overall dynamic range DHTTetrad P5: typ. 113 dB(A)

DHTTetrad D5: typ. 120 dB(A)

Powering 2x AA Alkaline ~6h, 2x AA NiMH ~7h

Dimensions 233 mm × 51 mm

Net / Shipping Weight 260 g

Standard Accessories 2x AA batteries, 1x stand adapter

Optional Accessories W3004

Item numbers:

SKU Code (P5): 3457H00050 (100 mW) 3457H00020 (10 mW)

 UPC:
 885038038665
 885038038290

 EAN:
 9002761038668
 9002761038293

SKU Code (D5): 3457X00060 (100 mW) 3457X00030 (10 mW)

UPC: 885038038672 885038038306 EAN: 9002761038675 9002761038309



AKG ACOUSTICS GMBH LAXENBURGER STRASSE 254, 1230 VIENNA/AUSTRIA AKG ACOUSTICS, U.S. 8500 BALBOA BOULEVARD, NORTHRIDGE, CA 91329, U.S.A.

© 2014 HARMAN International Industries, Incorporated. All rights reserved. AKG is a trademark of AKG Acoustics GmbH, registered in the United States and/or other countries.

Features, specifications and appearance are subject to change without notice.



AVAILABLE SETS

Tetrad Performer Set

- 1 DSRTetrad receiver
- 1 DPTTetrad bodypack transmitter
- 1 Ear hook microphone (C111 LP)
- 1 Instrument cable (MKG L)
- 2 Detachable antennas
- 2 External antenna cables
- 2 AA batteries
- 2 Rack brackets
- 1 AC-Adapter

Item numbers:

SKU Code: 3459H00020 (100 mW)

UPC: 885038037101EAN: 9002761037104

Tetrad Vocal Set D5

- 1 DSRTetrad receiver
- 1 DHTTetrad handheld transmitter D5
- 2 Detachable antennas
- 2 External antenna cables
- 2 AA batteries
- 1 Stand adapter
- 2 Rack brackets
- 1 AC-Adapter

Item numbers:

• SKU Code: 3459X00030 (100 mW)

UPC: 885038037484EAN: 9002761037487

Tetrad Vocal Set P5

- 1 DSRTetrad receiver
- 1 DHTTetrad handheld transmitter P5
- 2 Detachable antennas
- 2 External antenna cables
- 2 AA batteries
- 1 Stand adapter
- 2 Rack brackets
- 1 AC-Adapter

Item numbers:

SKU Code: 3459H00010 (100 mW)

UPC: 885038037095
 EAN: 9002761037098



AKG ACOUSTICS GMBH LAXENBURGER STRASSE 254, 1230 VIENNA/AUSTRIA AKG ACOUSTICS, U.S. 8500 BALBOA BOULEVARD, NORTHRIDGE, CA 91329, U.S.A.

© 2014 HARMAN International Industries, Incorporated. All rights reserved. AKG is a trademark of AKG Acoustics GmbH, registered in the United States and/or other countries.

Features, specifications and appearance are subject to change without notice.









AVAILABLE TWO-TRANSMITTER SETS (ONLY IN THE EU)



Tetrad Vocal Set P5 - EU

- 1 DSRTetrad receiver
- 2 DHTTetrad handheld transmitters P5
- 4 Detachable antennas
- 4 Antenna front mount cables
- 4 AA batteries
- 2 Stand adapters
- 2 Rack brackets
- 1 AC-adapter



Item numbers:

SKU Code: 3459H00040 (10 mW)
 UPC: 885038038313
 EAN: 9002761038316

Tetrad Vocal Set D5 - EU

- 1 DSRTetrad receiver
- 2 DHTTetrad handheld transmitters D5
- 4 Detachable antennas
- 4 Antenna front mount cables
- 4 AA batteries
- 2 Stand adapters
- 2 Rack brackets
- 1 AC-adapter



Item numbers:

SKU Code: 3459X00050 (10 mW)
 UPC: 885038038320
 EAN: 9002761038323



AKG ACOUSTICS GMBH LAXENBURGER STRASSE 254, 1230 VIENNA/AUSTRIA AKG ACOUSTICS, U.S. 8500 BALBOA BOULEVARD, NORTHRIDGE, CA 91329, U.S.A.

© 2014 HARMAN International Industries, Incorporated. All rights reserved. AKG is a trademark of AKG Acoustics GmbH, registered in the United States and/or other countries.

Features, specifications and appearance are subject to change without notice.



AVAILABLE TWO-TRANSMITTER SETS (ONLY IN THE EU)



Tetrad Performer Set - EU

- 1 DSRTetrad receiver
- 2 DPTTetrad bodypack transmitters
- 4 Detachable antennas
- 4 Antenna front mount cables
- 4 AA batteries
- 2 Instrument cables (MKG L)
- 2 Earhook microphones (C111 LP)
- 2 Rack brackets
- 1 AC-adapter



Item numbers:

SKU Code: 3459H00060 (10 mW)
 UPC: 885038038337
 EAN: 9002761038330

Tetrad Mixed Set - EU

- 1 DSRTetrad receiver
- 1 DHTTetrad handheld transmitter D5
- 1 DPTTetrad bodypack transmitter
- 4 Detachable antennas
- 4 Antenna front mount cables
- 4 AA batteries
- 1 Instrument cable (MKG L)
- 1 Earhook microphone (C111 LP)
- 1 Stand adapter
- 2 Rack brackets
- 1 AC-adapter



Item numbers:

SKU Code: 3459X00070 (10 mW)
 UPC: 885038038351
 EAN: 9002761038354



AKG ACOUSTICS GMBH LAXENBURGER STRASSE 254, 1230 VIENNA/AUSTRIA **AKG ACOUSTICS, U.S.** 8500 BALBOA BOULEVARD, NORTHRIDGE, CA 91329, U.S.A.

© 2014 HARMAN International Industries, Incorporated. All rights reserved. AKG is a trademark of AKG Acoustics GmbH, registered in the United States and/or other countries. Features, specifications and appearance are subject to change without notice.

http://acctech.ru/cat/radiosistemy/