



FOG FURY 1000 II



Caution: Fog Machines may set off Smoke Alarms!

User Instructions



©2016 ADJ Products, LLC all rights reserved. All specifications, diagrams, images, and text are subject to change without notice. ADJ is not responsible for identifying product names and numbers of ADJ Products, LLC. Copyright protection for forms and matters of copyrightable material is now allowed by statutory or judicial law. Product names used in this document are the registered trademarks of their respective owners and are hereby acknowledged. All non-ADJ Product names are trademarks or registered trademarks of their respective companies.

ADJ Products, LLC and all affiliated companies claim any and all liabilities for property damage and electrical damages, injuries to anyone, and indirect economic loss associated with any information contained within this document as a result of the improper, unsafe, insufficient assembly, installation, rigging, and operation.

This appliance is not intended for use by children (or children with reduced physical, sensory, or lack of experience and knowledge) who have not been given supervision or instruction by a responsible person. The appliance should be used only as directed by the person responsible for the appliance by a person responsible for the appliance.

Children should be supervised to ensure they do not play with the appliance.

Introduction: Congratulations, you have just purchased one of the most reliable fog machines on the market today! The Fog Fury 1000 II commercial fog machine have been designed to perform reliably for years when the guidelines in this booklet are followed. Please read and understand the instructions in this manual carefully and thoroughly before attempting to operate this unit. These instructions contain important information regarding safety during use and maintenance.

Customer Support: ADJ Products, LLC provides a toll free customer support line, to provide set up help and to answer any question should you encounter problems during your set up or initial operation. You may also visit us on the web at www.adj.com for any comments or suggestions. For service related issue please contact ADJ Products, LLC. Service Hours are Monday through Friday 8:00 a.m. to 4:30 p.m. Pacific Standard Time.

Voice: (800) 322-6337

Fax: (323) 582-2941

E-mail: support@americandj.com

To purchase parts online visit <http://parts.americandj.com>

Warning! To prevent or reduce the risk of electrical shock or fire, do not expose this unit to rain or moisture.

Caution! There are no user serviceable parts inside this unit. Do not attempt any repairs yourself, doing so will void your manufactures warranty. In the unlikely event your unit may require service please contact ADJ Products, LLC.

Do not discard the shipping cartoon in the trash. Please recycle when ever possible.

SAFETY ISSUES:

NEVER POINT OR AIM A FOG MACHINE TOWARDS PEOPLE OR THEIR CLOTHING. THIS UNIT EMITS HOT VAPOR AND SHOULD BE USED WITH THE SAME CARE THAT YOU WOULD OBSERVE WHEN USING AN ELECTRIC KETTLE OR IRON.

Please Note: Specifications and improvements in the design of this unit and this manual are subject to change without any prior written notice.

- Be sure to save the packing carton in case the unit may have to be returned for service
- Do not spill water or other liquids into the unit, be sure that all the fog fluid is kept inside the unit
- Be sure that the local power outlet matches the voltage for your fog machine
- Do not remove the top cover under any circumstances, user serviceable parts inside
- Disconnect the unit's main power when not in use for long periods of time
- Never connect this unit to a dimmer switch
- Do not attempt to operate this unit, if it has been damaged or broken. Do not attempt to remove the top prong from the electrical cord. This poses a serious risk of electrical shock and fire in case of a short circuit
- Disconnect from main power before making any repairs
- Never block the ventilation holes. Always place the unit in an area that will allow proper ventilation. Maintain (15cm) between this device and a wall
- This unit is intended for indoor use only. Outdoor use voids all warranties
- Always mount this unit in a safe and secure location
- Please route your power cord out of the room. Power cords should be routed so they are not underfoot, not pinched by items placed upon or against them, and not subject to any other type of abuse
- The unit should only be serviced by qualified personnel when:
 - A. The power-supply cord or the power plug has been damaged
 - B. Objects have fallen, or liquid has spilled on the unit
 - C. The unit has been exposed to rain or moisture
 - D. The appliance does not appear to be working properly or exhibits a marked change in performance

Fog Fury 1000 II

Description

The new Fog Fury 1000 II fog machine included a revolutionary new heating element that has been specially designed to prevent excessive particle build up that can cause premature fogger failure. This fog machine has a wide-angle spray nozzle and long-life pump that was specially designed for high performance fogger output.

Fog Fury 1000 II

Set-Up

1. Open the shipping carton and carefully remove the unit from the shipping carton.
2. Be sure to remove all the packing material especially around the nozzle.
3. Set the fog machine on a flat dry surface. Locate the included bracket from the package and install it using the supplied hardware to the side casing. Note: The bracket is an optional accessory and may not be used if desired, however if you intend to suspend the unit from truss the bracket must be used.
4. Fill the fog fluid reservoir with American DJ brand fog juice only and then tighten the cap.
5. Plug the unit in to a matching power supply. At this time the fluid reservoir will glow red, this indicates that the unit is heating up. Wait about four minutes for the fogger to reach normal operating temperature. When it has reached the temperature, the reservoir will glow green.
6. Either press the remote button to emit fog or use the manual button on the rear of the unit to emit fog.
7. Follow the operating instructions on the next page for remote operation.

Fog Fury 1000 II

Always be sure to maintain an adequate level of American DJ Brand Fog Juice in the fluid reservoir. A low level of fog juice dry will cause pump failure and or cause of failure in fog and haze machines. American DJ Brand Fog Juice is recommended and not alcohol.

Remote Operation: Start by connecting the unit to a power supply. Once the unit is plugged in, a RED LED on the remote will glow indicating the unit is heating up. The unit has a warm up time of about four minutes. Once the unit has warmed up, a GREEN LED on the remote will glow indicating the unit is ready to emit fog. To emit fog, simply press the remote for desired length of time. If the fog does not come out after holding the button for 10 seconds, check the fluid tank and make sure you have enough fog juice.

Fog Fury 1000 II

Fuse Replacement

First unplug the power. The fuse holder is located next to the power inlets. Using a flat-head screw driver unscrew the fuse holder. Remove the bad fuse and replace with a new fuse (250V, 10A).

Fog Fury 1000 II

Proper Storage and Maintenance

When storing your fog machine be sure to store it in a cool area. Cover the machine so that dust does not build up on the unit. When storing the machine for long periods of time, it is highly advised to at least run the machine every 3-4 months. Long periods of inactivity can severely shorten the life of your machine. Only run water based fog juice through your machine. Never run plain water, vinegar, or any other liquid solution through your machine. Running anything other than water based fog juice will severely damage your machine.

Fog Fury 1000 II

Warranty Registration

The Fog Fury 1000 II fog machine carries a one year (365 days) limited warranty. Please fill out the enclosed warranty card to validate your purchase. All returned service items whether under warranty or not, must be freight pre-paid and accompany a return authorization (R.A.) number. The R.A. number must be clearly written on the outside of the return package. A brief description of the problem as well as the R.A. number must also be written down on a piece of paper and included in the shipping container. If the unit is under warranty, you must provide a copy of your proof of purchase invoice. You may obtain a R.A. number by contacting customer support at (800) 322-6337.

Fog Fury 1000 II

Trouble Shooting

If you experience low fog output, pump noise, or no fog output at all, disconnect and discontinue use immediately. Do not attempt to continue pushing the remote control's activation button as this may damage the fog machine. Check the fluid level, the external fuse, remote connection, and be sure the wall outlet is sending power. If all of the above appears to be okay, and the unit fails to operate correctly, the unit will require service. Please contact ADJ Products, LLC.

Fog Fury 1000 II

MANUFACTURER'S LIMITED WARRANTY

- A. ADJ Products, LLC hereby warrants, to the original purchaser, that the product is free of manufacturing defects in material and workmanship for the period of time specified in this warranty, from the date of purchase (see specific warranty period on reverse side of product). If the product is purchased within the United States or its territories, it is the owner's responsibility to establish the evidence, at the time service is sought.
- B. For warranty service you must obtain a Return Authorization (R.A.) number before sending back the product—please contact ADJ Products, LLC at 800-322-6337. Send the product only to the designated point within the shipping charges must be pre-paid. If the required parts replacement are within the terms of this warranty, shipping charges only to a designated point within the terms of the warranty. If not, it must be shipped in its original package. No accessories are shipped with the product, ADJ Products, LLC is not responsible for loss of or damage to any such accessories, nor for the safe return of the product.
- C. This warranty is void if the serial number has been altered in any manner which ADJ Products, LLC concludes, after inspection, that the product has been repaired or serviced by anyone other than ADJ Products, LLC. Written authorization was issued to purchaser by ADJ Products, LLC. The product must be properly maintained as set forth in the instruction manual.
- D. This is not a service contract, and this warranty does not include labor charges. During the period specified above, ADJ Products, LLC will repair or replace, with new or refurbished parts, and will absorb all expenses incurred by reason of defects in material or workmanship. The sole remedy under this warranty shall be limited to the repair of the product, or replacement of the product at the discretion of ADJ Products, LLC. All products covered by this warranty shall be identified by the date of purchase, 15, 2012, and bear identifying marks to that effect.
- E. ADJ Products, LLC reserves the right to make changes in the product without any obligation to include these changes in any product manual.

No warranty, whether expressed or implied, is given or made for the products described above. Except to the extent prohibited by law, ADJ Products, LLC in connection with this product, including but not limited to, are limited in duration to the warranty period set forth above. This warranty, including warranties of merchantability or fitness, shall be void if the warranty has expired. The consumer's and/or Dealer's sole remedy shall be limited to the express warranty provided above; and under no circumstances shall ADJ Products, LLC be liable for damage, direct or consequential, arising out of the use of, or the failure of, the product.

This warranty is the only written warranty applicable to the product and it supersedes all prior warranties and written descriptions of the product published.

MANUFACTURER'S LIMITED WARRANTY PERIODS:

- **Non L.E.D. Lighting Products = 1-year (365 days) Limited Warranty** (excluding LED and Laser Products, Fog Machines, Cans, Trussing, Lighting Stands etc. excluding LED and Laser Products).
- **Laser Products = 1 Year (365 Days) Limited Warranty** (excluding Laser Products).
- **L.E.D. Products = 2-year (730 days) Limited Warranty** (excluding Laser Products).
- **StarTec Series = 1 Year Limited Warranty** (excluding Laser Products).
- **ADJ DMX Controllers = 2 Year (730 Days) Limited Warranty** (excluding Laser Products).

ADJ Products, LLC - www.adj.com - Fog Fury

Fog Fury 1000 II		Specifications
MODEL - Fog Fury 1000 II		
VOLTAGE*:		120V, 60Hz
HEATER:		700W
POWER CONSUMPTION:		700W
WEIGHT:		7 Lbs. / 2.95 Kgs
DIMENSIONS:		9.5" x 8" x 8"
		241 x 204 x 200 mm
FUSE:		250V, 10A
WARM UP TIME:		4 Minutes
TANK CAPACITY:		0.9 Liter
OUTPUT:		4000 cubic feet per minute
FLUID TYPE:		Water Base ADJ Fog Juice
DUTY CYCLE:		Not to exceed 6 hours turned on.
<i>*Voltage is preset at the factory and may not be changed</i>		

6122 S. Eastern Ave. Los Angeles, CA 90001
 Tel: 323-582-2650
 Web: www.adj.com /

A.D.

Follow Us On:



facebook.com/americanfog
 twitter.com/americanfog
 youtube.com/americanfog
 https://www.adj.com/americanfog
 support@americanfog.com
 1-800-455-4685
 323-582-2650